

 A. Experienced R & D team for leading edge solutions



### SORED GROUP: YOUR PARTNER OF CHOICE


- A. TECHNICAL RESEARCH
  Equipped with CAD technology,
  our R & D group design tools
  and dies responding to your most
  complex demands.
- B. Tool COMPETENCE

  State of the art tool making
  as key element of our business.
- C. PRODUCTION COMPETENCE
  Bending, stamping, coiling,
  assembling, welding:
  a production based on reliability
  and flexibility due to our semiand fully automatic machines.
  Heat treatment and polishing are
  among the processes we control
  as well.
- D. MICRO CAPABILITY
  With the capability of coiling wire diameter as small as 10 μ, we are one of the most important European
  Manufacturer of high precision micro components.
- E. FINAL INSPECTION Equipped with advanced technology, we guarantee to fulfill all your quality requirements. ISO9001 certified.
- F. PACKAGING SERVICES
   Satisfying all your packaging requests.


 B. Comprehensive tool department for high quality tool and fast prototyping




C. Over 100 machines to cover your most challenging needs



D. Special know-how and equipment for micro spring manufacturing



Packaging services for all your requirements



E. Most advanced inspection equipment to cope with your most demanding specifications



CERTIFIED SWISS QUALITY



## COMPRESSION



# HIGH PRECISION STAMPED-BENT COMPONENTS

<u>&</u> MICRO SPRINGS


# ASSEMBLED



#### ACKNOWLEDGEMENTS

SORED would like to thank the students of L'École de danse de Québec's professional training program in contemporary dance.

L'École de danse de Québec





## STAMPED AND BENT



PRODUCT TYPE	DIMENSION	EQUIPMENT
- Compression springs - Micro springs - Guide wires	Wire Ø: 0.03 to 1.0 mm Spring Ø: from 0.17 mm	41 COILING MACHINES
- Torsion springs - Tension springs	Wire Ø: 0.1 to 1.5 mm Spring Ø: from 0.4 mm	16 MULTI SLIDE MACHINES
- Stamped & Bent components	Band Width: up to 50 mm Thickness: 0.05 to 1 mm Wire Ø: up to 2.5 mm	30 MULTI SLIDE MACHINES
- PROGRESSIVE TOOLING FOR STAMPED & BENT PARTS	BAND Width: up to 100 mm Thickness: 0.02 to 1.5 mm	10 PRESSES (UP TO 40 TONS)
- Prototyping	Band Thickness: min. 0.02 mm Wire Ø: down to 10 $\mu$	40 WORKSTATIONS



To optimize our service, we offer THE FOLLOWING PROCESSES AS WELL

· Sub-assembly

· Plating

· Laser welding

· Passivation

· Heat treatment · Electropolishing

· Polishing

· Over-molding


& tumbling

· Degreasing



## Torsion





## YOUR CONTACT

Rue de l'Etoile 21 CH-2301 La Chaux-de-Fonds Switzerland

Tel. ++41 (0)32 967 90 60 Fax ++41 (0)32 968 74 89

E-mail: sales@sored-sa.com

